

VIEW OUR
NATIONWIDE
STOCK





The Ultimate...

The multi award-winning Mobilvetta Tekno-Line is the ultimate in motorhome luxury featuring two unique and versatile ranges - the K.Yacht A Class and Kea Coachbuilt.

Inside each Tekno Line motorhome Mobilvetta's expert designers have created the perfect fusion of traditional hand-crafted style furniture and contemporary Italian design.

The interiors of all models have been sculpted to provide elegant and opulent living spaces.

Innovative and modern storage techniques ensure that each of these well-appointed motorhomes makes getting away from it all a true pleasure.

 **Read The Latest Press Reviews**

"... overall specification is nothing short of stupendous."
Nick Harding, The Caravan & Motorhome Club



Tekno-Line **AUTO** SERIES

The /Auto Series offers all models with a fully Automatic 180bhp engine on a 4400kg chassis. All K.Yacht and Kea models are 3-4 berth with four travelling seats and offer a fantastic payload or all your holiday essentials.



MTPLM Weight of 440KG



180bhp Automatic Fiat Engine as standard



ALDE Heating System

K.Yacht/AUTO

A-Class Luxury

VIEW OUR
NATIONWIDE
STOCK



K.Yacht/AUTO 5 MODELS



K.YACHT 59



OVERALL LENGTH	5990mm/19'6"
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8"
MTPLM	4400kg
MAX USER PAYLOAD	1490kg



K.YACHT 80



OVERALL LENGTH	6990mm/22'9"
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8"
MTPLM	4400kg
MAX USER PAYLOAD	1200kg



K.YACHT 86



OVERALL LENGTH	7450mm/24'4"
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8"
MTPLM	4400kg
MAX USER PAYLOAD	1150kg



K.YACHT 90



OVERALL LENGTH	7450mm/24'4"
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8"
MTPLM	4400kg
MAX USER PAYLOAD	1160kg



K.YACHT 95



OVERALL LENGTH	7450mm/24'4"
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8"
MTPLM	4400kg
MAX USER PAYLOAD	1210kg



Practical Coachbuilts

VIEW OUR
NATIONWIDE
STOCK





KEA 80

OVERALL LENGTH	6990mm/22'9"
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8"
MTPLM	4400kg
MAX USER PAYLOAD	1180kg



KEA 86

OVERALL LENGTH	7450mm/24'4"
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8"
MTPLM	4400kg
MAX USER PAYLOAD	1150kg



KEA 90

OVERALL LENGTH	7450mm/24'4"
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8"
MTPLM	4400kg
MAX USER PAYLOAD	1150kg

Tekno-Line **Key Features & Benefits**

FIAT

**FIAT 180BHP EURO 6D FINAL
AUTOMATIC ENGINE WITH
6 SPEED GEARBOX**

Ensuring a comfortable driving experience with an electronic parking brake.



MTPLM WEIGHT OF 4400KG

The /Auto Series features 3-4 berth models with 4 travelling seats & a MTPLM of 4400kg offering an exceptional payload for all your holiday essentials.



**DAB RADIO WITH TOUCH SCREEN SAT
NAV & INTEGRATED REAR VIEW CAMERA,
BLUETOOTH & USB INPUT**

Make your way to your holiday destination with ease & with the latest audio technology.



EXTERIOR BBQ POINTS

Grilling an el fresco dinner couldn't be easier thanks to the functionality of the external BBQ point.



**NCC APPROVED WITH FULL UK
SPECIFICATION.**

Your Mobilvetta motorhome has been rigorously tested to meet all NCC approval standards to be certified safe for you & your family as well as being legal for use on UK roads.



DROP DOWN BEDS

The expert designers at Mobilvetta have included space-saving drop down beds in every Tekno-Line model.



ALDE HEATING SYSTEM

The ALDE heating system is planned down to the smallest detail. ALDE towel rails provide warm towels after every shower.




**DRIVERS PACK; ESP INC CRUISE CONTROL,
TRACTION PLUS, ESC, HILL ASSIST/DESCEND
& DRIVER & PASSENGER AIRBAGS**

Sophisticated control technologies for a comfortable journey.



ELECTRIC & HEATED WING MIRRORS

Mobilvetta Tekno-Line door mirrors are electrically heated, eliminating ice & condensation build-up quickly, to help you see more clearly in any weather.



SOLAR PANEL

The Solar Panel can ensure your battery life lasts longer. Being self-sufficient helps you enjoy the freedom a motorhome brings.



**GRADE III FULLY INSULATED
NCC EN1645-1**

Enjoy the perfect climate 365 days a year. All Mobilvetta motorhomes have achieved Grade III classification for heating & thermal protection.



**ITECH INSULATION TECHNOLOGY WITH
100% WOOD FREE CONSTRUCTION**

Built using iTech insulation technology, the range is constructed 100% wood free giving a waterproof, heat insulating motorhome.

Tekno-Line **Features**

CHASSIS

- Fiat Ducato 2.2L 180bhp Euro 6D Final chassis with Automatic Transmission
- 16" Alloy wheels
- High level dashboard
- Electric parking brake

DRIVER COMFORT

- Leather steering wheel & gear level
- Pleated cab blinds
- Heated windscreen
- Automatic cab air conditioning
- Ergonomic swivel captain style seats

AUDIO SYSTEM

- DAB radio with touchscreen Apple Carplay/Android Auto + Sat Nav & integrated rear view observation camera

LIVING AREA

- Ambient LED Lighting throughout
- Spacious wardrobe
- Luxurious upholstery with fire retardant treatment
- Luxury mattresses
- Flyscreens & blinds on all habitation windows
- Heki rooflights with blind & flyscreens
- Internal underfloor storage
- Electric drop down table (selective models)
- Electric drop down beds (varies by model)
- TV bracket and aerial
- Two forward facing seats with lap & diagonal belts (varies by model)

BODY CONSTRUCTION

- 12v - 220V & TV sockets
- "XL" entrance door with window, blinds & integrated dustbin
- Mosquito net for entrance door
- Exterior skirt storage compartment
- Fabric layer on internal surface of the roof
- Spacious rear garage with easy access
- Awning light

SECURITY SYSTEMS

- Trafficmaster Trackstar S7 Tracker with 1 years free subscription
- Manufacturer Immobiliser

DRIVER SAFETY

- Drivers pack with Cruise control, Traction Plus, ESC with Hill assist, Hill descend & Cross wind assist
- Drivers & passengers air bags
- Electric & heated wing mirrors
- Daytime running lights
- Steering wheel radio controls

ELECTRICS, GAS & PLUMBING

- 120L Fresh water tank
- 110L Waste water tank
- Winter Pack including; Insulated waste water tank & exhaust valve with anti freeze protection
- ALDE heating system
- Truma iNet X
- External 240V socket
- External BBQ point
- Storage for 2 x gas bottles
- Solar panel
- Speakers in bedroom
- Smoke detector sensor
- Carbon monoxide sensor

WASHROOM

- Large separate shower with tinted door (varies by model)
- Vanity unit with toothbrush & soap holder (varies by model)
- Towel rail, toilet roll holder & brush (varies by model)
- Chrome showerhead & fixings
- Rooflight

KITCHEN

- 150L three-way fridge & freezer compartment
- Two burner & electric induction hot plate hob cooker
- Dometic gas oven/grill
- Multi-functional chopping board
- Chrome sink & mixer tap
- Slide out larder style cupboard

WARRANTY



For full warranty details please visit:
www.marquisleisure.co.uk/warranty

WEIGHTS & DIMENSIONS

	K.YACHT /AUTO RANGE					KEA /AUTO RANGE		
Model	K.YACHT 59 /AUTO	K.YACHT 80 /AUTO	K.YACHT 86 /AUTO	K.YACHT 90 /AUTO	K.YACHT 95 /AUTO	KEA 80 /AUTO	KEA 86 /AUTO	KEA 90 /AUTO
Engine	180bhp Automatic	180bhp Automatic	180bhp Automatic	180bhp Automatic	180bhp Automatic	180bhp Automatic	180bhp Automatic	180bhp Automatic
Berths (sleeping positions)	3	4	4	4	4	4	4	4
Designated Passenger Seats (incl. driver)	4	4	4	4	4	4	4	4
Overall Length	5990mm / 19'6"	6990mm / 22'9"	7450mm / 24'4"	7450mm / 24'4"	7450mm / 24'4"	6990mm / 22'9"	7450mm / 24'4"	7450mm / 24'4"
Overall Width (mirrors folded)	2350mm / 7'7"	2350mm / 7'7"	2350mm / 7'7"	2350mm / 7'7"	2350mm / 7'7"	2350mm / 7'7"	2350mm / 7'7"	2350mm / 7'7"
Overall Width (mirrors extended)	2740mm / 8'7"	2740mm / 8'7"	2740mm / 8'7"	2740mm / 8'7"	2740mm / 8'7"	2740mm / 8'7"	2740mm / 8'7"	2740mm / 8'7"
Overall Height (excl. TV aerial)	2950mm / 9'8"	2950mm / 9'8"	2950mm / 9'8"	2950mm / 9'8"	2950mm / 9'8"	2950mm / 9'8"	2950mm / 9'8"	2950mm / 9'8"
Internal Height (max)	2000mm / 6'5"	2000mm / 6'5"	2000mm / 6'5"	2000mm / 6'5"	2000mm / 6'5"	2000mm / 6'5"	2000mm / 6'5"	2000mm / 6'5"
Maximum Permissible Laden Mass (a)	4400kg	4400kg	4400kg	4400kg	4400kg	4400kg	4400kg	4400kg
Mass in Running Order (b)	2910kg	3200kg	3250kg	3240kg	3190kg	3220kg	3250kg	3250kg
Maximum User Payload (c) (c=a-b)	1490kg	1200kg	1150kg	1160kg	1210kg	1180kg	1150kg	1150kg
Maximum Trailer Weight	2000kg	2000kg	2000kg	2000kg	2000kg	2000kg	2000kg	2000kg
Gross Train Weight	6400kg	6400kg	6400kg	6400kg	6400kg	6400kg	6400kg	6400kg
Bed Sizes								
Drop Down Bed	1350mm x 1900mm 4'4" x 6'2"	1350mm x 1900mm 4'4" x 6'2"	1350mm x 1900mm 4'4" x 6'2"	1350mm x 1900mm 4'4" x 6'2"	1350mm x 1900mm 4'4" x 6'2"	1900mm x 1280(1070)mm 6'2" x 4'2"(3'5")	1900mm x 1280(1070)mm 6'2" x 4'2"(3'5")	1900mm x 1280(1070)mm 6'2" x 4'2"(3'5")
Rear Double Bed	-	1900mm x 1280mm 6'2" x 4'2"	-	1900mm x 1500mm 6'2" x 4'9"	2120mm x 1900mm 6'9" x 6'2"	1900mm x 1280mm 6'2" x 4'2"	-	1900mm x 1500mm 6'2" x 4'9"
Rear Offside Single	-	-	2050mm x 800mm 6'7" x 2'6"	-	-	-	2050mm x 800mm 6'7" x 2'6"	-
Rear Nearside Single	-	-	2000mm x 800mm 6'5" x 2'6"	-	-	-	2000mm x 800mm 6'5" x 2'6"	-
Rear Garage Aperture Dimensions[#]								
Left	1470mm x 600mm 4'6" x 1'9"	870(720)mm x 520mm 2'8"(2'3") x 1'7"	1170mm x 870(720)mm 3'8" x 2'8"(2'3")	1000mm x 870(720)mm 3'2" x 2'8"(2'3")	870(720)mm x 520mm 2'8"(2'3") x 1'7"	870(720)mm x 520mm 2'8"(2'3") x 1'7"	1170mm x 870(720)mm 3'8" x 2'8"(2'3")	1000mm x 870(720)mm 3'2" x 2'8"(2'3")
Right	-	870(720)mm x 520mm 2'8"(2'3") x 1'7"	1170mm x 870(720)mm 3'8" x 2'8"(2'3")	1000mm x 870(720)mm 3'2" x 2'8"(2'3")	870(720)mm x 520mm 2'8"(2'3") x 1'7"	870(720)mm x 520mm 2'8"(2'3") x 1'7"	1170mm x 870(720)mm 3'8" x 2'8"(2'3")	1000mm x 870(720)mm 3'2" x 2'8"(2'3")

Data & accuracy: The contents of this publication are as accurate as possible at the time of going to press, but this information should not be regarded as an infallible guide to current specifications, nor does it constitute an offer for the sale of any particular vehicle. Details of performance, dimensions and weights are subject to minor deviations within manufacturer tolerance limits (max +/- 5%). The Mass In Running Order (MIRO) - Weight of the Motorhome equipped to the manufacturer's standard specification including essential habitational equipment. The MIRO is the mass of the unladen vehicle, including an allowance for the driver (assumed 75 kg) and a 90% full fuel tank. The MIRO is calculated with the fresh water tank empty. If you travel with water in the freshwater tank then the User Payload will reduce accordingly. Maximum User Payload includes Personal Effects Payload, conventional load and the Optional Equipment Payload. Please ensure that you've allowed for the masses of all items you intend to carry in the Motorhome. All data is calculated using metric weights and measurements. The imperial figures quoted are conversions thereof and have been rounded to the nearest inch. All dimensions have a tolerance of +/- 25mm. Your Motorhome weights have been calculated with all water tanks empty and we recommend you travel with all water tanks empty. Heights are measured on an unladen vehicle excluding any roof areal. The maximum weight capacity for an electric drop down bed is 250kg, fixed rear beds have a limit of 250kg, overcab beds are 250kg and bunkbeds 100kg. # Garage dimensions quoted are "aperture" height and width and interior garage dimensions may vary.