









K.YACHT RANGE



## The Ultimate...

The multi award-winning Mobilvetta Tekno-Line is the ultimate in motorhome luxury featuring two unique and versatile ranges - the K.Yacht A Class and Kea Coachbuilt.

Inside each Tekno Line motorhome Mobilvetta's expert designers have created the perfect fusion of traditional hand-crafted style furniture and contemporary Italian design.

The interiors of all models have been sculpted to provide elegant and opulent living spaces.

Innovative and modern storage techniques ensure that each of these well-appointed motorhomes makes getting away from it all a true pleasure.



"... overall specification is nothing short of stupendous."

Nick Harding, The Caravan & Motorhome Club





K.YACHT RANGE

## TERMO-LINE SERIES

The /2 Series offers each popular layout currently available in both the K.Yacht and Kea ranges in a 140bhp manual 2 berth variation with \*optional beds, 2 travelling seats and a MTPLM weight of 3500kg to be driven by anyone holding a full UK driving licence with ease and regardless of their age.




































# Vacht/2

## MODELS





### K.YACHT 59 /2





OVERALL LENGTH	5990mm/19'6"		
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"		
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8''		
MTPLM	3500kg		
MAX USER PAYLOAD	661kg		
·			

\*The /2 Series offers each popular layout currently available in both the K-Yacht and Kea ranges in a manual 2 berth variation with optional beds.





### K.YACHT 80 /2





OVERALL LENGTH	6990mm/22'9"			
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"			
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8''			
MTPLM	3500kg			
MAX USER PAYLOAD	371kg			





### K.YACHT 86 /2





OVERALL LENGTH	7450mm/24'4"			
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"			
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8''			
MTPLM	3500kg			
MAX USER PAYLOAD	321kg			





### **K.YACHT 90 /2**





OVERALL LENGTH	7450mm/24'4"			
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"			
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8''			
MTPLM	3500kg			
MAX USER PAYLOAD	331kg			





### **K.YACHT 95 /2**





OVERALL LENGTH	7450mm/24'4"		
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"		
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8''		
MTPLM	3500kg		
MAX USER PAYLOAD	381kg		

















MODELS





**KEA 80 /2** 





OVERALL LENGTH	6990mm/22'9"			
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"			
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8''			
MTPLM	3500kg			
MAX USER PAYLOAD	351kg			



OVERALL LENGTH	7450mm/24'4"			
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"			
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8''			
MTPLM	3500kg			
MAX USER PAYLOAD	311kg			





**KEA 90 /2** 





OVERALL LENGTH	7450mm/24'4"
OVERALL WIDTH (MIRRORS FOLDED)	2350mm/7'7"
OVERALL HEIGHT (EXC AERIAL)	2950mm/9'8''
MTPLM	3500kg
MAX USER PAYLOAD	321kg
·	

\*The /2 Series offers each popular layout currently available in both the K-Yacht and Kea ranges in a manual 2 berth variation with optional beds.







<u>(360)</u>

## TKM0-Line Key Features & Benefits



#### **FIAT 140BHP EURO 6D FINAL MANUAL ENGINE WITH 6 SPEED GEARBOX**

Ensuring a comfortable driving experience with an electronic parking brake.



#### **ALDE HEATING SYSTEM**

The ALDE heating system is planned down to the smallest detail. ALDE towel rails provide warm towels after every shower.



#### MTPLM WEIGHT OF 3500KG

The /2 Series offers a 2 berth variation with optional beds, 2 travelling seats & can be driven by anyone holding a full UK licence with ease and regardless of age.



DRIVERS PACK; ESP INC CRUISE CONTROL, TRACTION PLUS, ESC, HILL ASSIST/DESCEND & DRIVER & PASSENGER AIRBAGS

> Sophisticated control technologies for a comforable jourmey.



DAB RADIO WITH TOUCH SCREEN SAT NAV & INTEGRATED REAR VIEW CAMERA, **BLUETOOTH & USB INPUT** 

Make your way to your holiday destination with ease & with the latest audio technology.



#### **ELECTRIC & HEATED WING MIRRORS**

Mobilvetta Tekno-Line door mirrors are electrically heated, eliminating ice & condensation build-up quickly, to help you see more clearly in any weather.




#### **EXTERIOR BBQ POINTS**

Grilling an el fresco dinner couldn't be easier thanks to the functionality of the external BBQ point.



#### **SOLAR PANEL**

The Solar Panel can ensure your batter life lasts longer. Being self-sufficient helps you enjoy the freedom a motorhome brings.




#### NCC APPROVED WITH FULL UK SPECIFCATION.

Your Mobilvetta motorhome has been rigorously tested to meet all NCC approval standards to be certified safe for you & your family as well as being legal for use on UK roads.



#### **GRADE III FULLY INSULATED NCC EN1645-1**

Enjoy the perfect climate 365 days a year. All Mobilvetta motorhomes have achieved Grade III classification for heating & thermal protection.



#### **DROP DOWN BEDS**

The expert designers at Mobilvetta have included space-saving drop down bed options in every Tekno-Line model.



#### ITECH INSULATION TECHNOLOGY WITH 100% WOOD FREE CONSTRUCTION

Built using iTech insulation technology, the range is constructed 100% wood free giving a waterproof, heat insulating motorhome.






## Tekno-line Features

#### **CHASSIS**




- Fiat Ducato 2.2L 140bhp Euro 6D Final chassis with Manual Transmission
- 16" Alloy wheels
- High level dashboard
- Electric parking brake

#### DRIVER COMFORT



- & gear level Pleated cab blinds
- Heated windscreen

#### **AUDIO SYSTEM**



#### **LIVING AREA**

- Ambient LED Lighting throughout
- Spacious wardrobe
- Luxurious upholstery with fire retardant treatment
- Luxury mattresses
- Flyscreens & blinds on all habitation windows
- Heki rooflights with blind & flyscreens

Electric drop down table (selective)

Automatic cab air conditioning

Ergonomic swivel captain style seats


- Electric drop down beds (varies by model)
- TV bracket and aerial

#### **BODY CONSTRUCTION**



- "XL" entrance door with window, blinds & integrated dustbin
- Mosquito net for entrance door
- Exterior skirt storage compartment
- Fabric layer on internal surface of the
- Spacious rear garage with easy access
- Awning light

#### **SECURITY SYSTEMS**



Manufacturer Immobiliser

#### **DRIVER SAFETY**

- Drivers pack with Cruise control, Traction Plus, ESC with Hill assist, Hill descend & Cross wind assist
- Drivers & passengers air bags

#### • Electric & heated wing mirrors


- Daytime running lights
- Steering wheel radio controls

#### **ELECTRICS, GAS & PLUMBING**

- 120L Fresh water tank
- 110L Waste water tank
- Winter Pack including; Insulated waste water tank & exhaust valve with anti freeze protection
- ALDE heating system
- Truma iNet X
- External 240V socket
- External BBQ point

- Storage for 2 x gas bottles
- Solar panel
- Speakers in bedroom
- Smoke detector sensor
- Carbon monoxide sensor

#### **WASHROOM**



- Vanity unit with toothbrush & soap holder (varies by model)
- Towel rail, toilet roll holder & brush (varies by model)
- Chrome showerhead & fixings
- Rooflight

#### KITCHEN



compartment • Two burner & electric induction hot plate hob cooker

• 150L three-way fridge & freezer

- Dometic gas oven/grill
- Multi-functional chopping board
- Slide out larder style cupboard

#### **WARRANTY**





For full warranty details please visit:

www.marquisleisure.co.uk/warranty

Internal underfloor storage

**K.YACHT** RANGE







765















WEIGHTS & **DIMENSIONS** 

	K.YACHI /Z RANUE			KEA /Z RANUE				
Model	K.YACHT 59 /2	K.YACHT 80 /2	K.YACHT 86 /2	K.YACHT 90 /2	K.YACHT 95 /2	KEA 80 /2	KEA 86 /2	KEA 90 /2
Engine	140bhp Manual	140bhp Manual	140bhp Manual	140bhp Manual	140bhp Manual	140bhp Manual	140bhp Manual	140bhp Manual
Berths (sleeping positions*)	2	2	2	2	2	2	2	2
Designated Passenger Seats (incl. driver)	2	2	2	2	2	2	2	2
Overall Length	5990mm / 19'6''	6990mm / 22'9''	7450mm / 24'4''	7450mm / 24'4''	7450mm / 24'4''	6990mm / 22'9''	7450mm / 24'4''	7450mm / 24'4''
Overall Width (mirrors folded)	2350mm / 7'7''	2350mm / 7'7''	2350mm / 7'7''	2350mm / 7'7''	2350mm / 7'7''	2350mm / 7'7''	2350mm / 7'7''	2350mm / 7'7''
Overall Width (mirrors extended)	2740mm / 8'7''	2740mm / 8'7''	2740mm / 8'7''	2740mm / 8'7''	2740mm / 8'7''	2740mm / 8'7''	2740mm / 8'7''	2740mm / 8'7''
Overall Height (excl. TV aerial)	2950mm / 9'8''	2950mm / 9'8''	2950mm / 9'8''	2950mm / 9'8''	2950mm / 9'8''	2950mm / 9'8''	2950mm / 9'8''	2950mm / 9'8''
Internal Height (max)	2000mm / 6'5''	2000mm / 6'5''	2000mm / 6'5''	2000mm / 6'5''	2000mm / 6'5''	2000mm / 6'5''	2000mm / 6'5''	2000mm / 6'5''
Maximum Permissable Laden Mass (a)	3500kg	3500kg	3500kg	3500kg	3500kg	3500kg	3500kg	3500kg
Mass in Running Order (b)	2839kg	3129kg	3179kg	3169kg	3119kg	3149kg	3189kg	3179kg
Maximum User Payload (c) (c=a-b)	661kg	371kg	321kg	331kg	381kg	351kg	311kg	321kg
Maximum Trailer Weight	2000kg	2000kg	2000kg	2000kg	2000kg	2000kg	2000kg	2000kg
Gross Train Weight	5500kg	5500kg	5500kg	5500kg	5500kg	5500kg	5500kg	5500kg
Bed Sizes								
Drop Down Bed	1350mm x 1900mm 4'4'' x 6'2''	1350mm x 1900mm 4'4'' x 6'2''	1350mm x 1900mm 4'4'' x 6'2''	1350mm x 1900mm 4'4'' x 6'2''	1350mm x 1900mm 4'4'' x 6'2''	1900mm x 1280(1070)mm 6'2" x 4'2"(3'5")	1900mm x 1280(1070)mm 6'2" x 4'2"(3'5")	1900mm x 1280(1070)mm 6'2'' x 4'2''(3'5'')
Rear Double Bed	-	1900mm x 1280mm 6'2'' x 4'2''	-	1900mm x 1500mm 6'2'' x 4'9''	2120mm x 1900mm 6'9'' x 6'2''	1900mm x 1280mm 6'2'' x 4'2''	-	1900mm x 1500mm 6'2'' x 4'9''
Rear Offside Single	-	-	2050mm x 800mm 6'7'' x 2'6''	-	-	-	2050mm x 800mm 6'7'' x 2'6''	-
Rear Nearside Single	-	-	2000mm x 800mm 6'5'' x 2'6''	-	-	-	2000mm x 800mm 6'5'' x 2'6''	-
Rear Garage Aperture Dimensions#								
Left	1470mm x 600mm 4'6'' x 1'9''	870(720)mm x 520mm 2'8''(2'3'') x 1'7''	1170mm x 870(720)mm 3'8'' x 2'8''(2'3'')	1000mm x 870(720)mm 3'2" x 2'8"(2'3")	870(720)mm x 520mm 2'8''(2'3'') x 1'7''	870(720)mm x 520mm 2'8''(2'3'') x 1'7''	1170mm x 870(720)mm 3'8'' x 2'8''(2'3'')	1000mm x 870(720)mm 3'2" x 2'8"(2'3")
Right	-	870(720)mm x 520mm 2'8"(2'3") x 1'7"	1170mm x 870(720)mm 3'8" x 2'8"(2'3")	1000mm x 870(720)mm 3'2" x 2'8"(2'3")	870(720)mm x 520mm 2'8''(2'3'') x 1'7''	870(720)mm x 520mm 2'8''(2'3'') x 1'7''	1170mm x 870(720)mm 3'8" x 2'8"(2'3")	1000mm x 870(720)mm 3'2" x 2'8"(2'3")

K.YACHT /2 RANGE

Data & accuracy: The contents of this publication are as accurate as possible at the time of going to press, but this information should not be regarded as an infallible guide to current specifications, nor does it constitute an offer for the sale of any particular vehicle. Details of performance, dimensions and weights are subject to minor deviations within manufacturer tolerance limits (max +/- 5%). The Mass In Running Order (MIRO) - Weight of the Motorhome equipped to the manufacturer's standard specification including an allowance for the driver (assumed 75 kg) and a 90% full fuel tank. The MIRO is calculated with the fresh water tank empty. If you travel with water in the freshwater tank then the User Payload will reduce accordingly. Maximum User Payload includes Personal Effects Payload, conventional load and the Optional Equipment Payload will reduce accordingly. Maximum User Payload includes Personal Effects Payload includes quoted are conversions thereof and have been rounded to the nearest inch. All dimensions have a tolerance of +/- 25mm. Your Motorhome weights are measured on an unladen vehicle excluding any roof areial. The maximum weight capacity for an electric drop down bed is 250kg, fixed rear beds have a limit of 250kg, overcab beds are 250kg and bunkbeds 100kg. # Garage dimensions quoted are "aperture" height and width and interior garage dimensions may vary. \*The /2 Series offers each popular layout currently available in both the K-Yacht and Kea ranges in a manual 2 berth variation with optional beds.



KEA /2 RANGE





**K.YACHT** 

RANGE